2015 Latest 70-533 Practice Tests Updated By Braindump2go in Accordance with Microsoft Official Exam Center (21-30)

Braindump2go Updates Microsoft 70-533 Exam Dumps Questions, adds some new changed questions from Microsoft Official Exam Center. Want to know 2015 70-533 Exam test points? Download the following free Braindump2go Latest Exam Questions Today! Vendor: MicrosoftExam Code: 70-533Exam Name: Implementing Microsoft Azure Infrastructure SolutionsKeywords: 70-533 Exam Dumps,70-533 Practice Tests,70-533 Practice Exams,70-533 Exam Questions,70-533 PDF,70-533 VCE Free,70-533 Book,70-533 E-Book,70-533 Study Guide,70-533 Braindump,70-533 Prep Guide

Pass4sure	Braindump2go	,
	100% Pass OR Money Back	
89 Q&As – Practice	112 Q&As – Real Questions	50 Q&A
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Disco

QUESTION 21You manage an Azure subscription with virtual machines (VMs) that are running in Standard mode.You need to reduce the storage costs associated with the VMs.What should you do? A. Locate and remove orphaned disks.B. Add the VMs to an affinity group.C. Change VMs to the Basic tier.D. Delete the VHD container. Answer: CExplanation: Standard offers 50 GB of storage space, while Basic only gives 10 GB but it will save costs.<u>http://azure.microsoft.com/en-us/pricing/details/websites/</u>QUESTION 22You manage several Azure virtual machines (VMs). You create a custom image to be used by employees on the development team.You need to ensure that the custom image is available when you deploy new servers.Which Azure Power Shell cmdlet should you use? A. Update-AzureVMImageB. Add-AzureVhdC. Add-AzureVMImageD. Update-AzureDiskE. Add-AzureDataDisk Answer: CExplanation: The Add-AzureVMImage cmdlet adds an operating system image to the image repository. The image should be a generalized operating system image, using either Sysprep for Windows or, for Linux, using the appropriate tool for the distribution.ExampleThis example adds an operating system image to the repository.Windows PowerShell C:PS>Add-AzureVMImage -ImageName imageName -MediaLocation


http://yourstorageaccount.blob.core.azure.com/container/sampleImage.vhd -Label QUESTION 23You manage an Azure virtual network that hosts 15 virtual machines (VMs) on a single subnet which is used for testing a line of business (LOB) application. The application is deployed to a VM named TestWebServiceVM.You need to ensure that TestWebServiceVM always starts by using the same IP address. You need to achieve this goal by using the least amount of administrative effort.What should you do? A. Use the Management Portal to configure TestWebServiceVM.B. Use RDP to configure TestWebServiceVM.C. Run the Set-AzureStaticVNetIP PowerShell cmdlet.D. Run the Get-AzureReservedIP PowerShell cmdlet. Answer: CExplanation:Specify a static internal IP for a previously created VMIf you want to set a static IP address for a VM that you previously created, you can do so by using the following cmdlets. If you already set an IP address for the VM and you want to change it to a different IP address, you'll need to remove the existing static IP address before running these cmdlets. See the instructions below to remove a static IP. For this procedure, you'll use the Update-AzureVM cmdlet. The Update-AzureVM cmdlet restarts the VM as part of the update process. The DIP that you specify will be assigned after the VM restarts. In this example, we set the IP address for VM2, which is located in cloud service StaticDemo.Get-AzureVM -ServiceName StaticDemo -Name VM2 | Set-AzureStaticVNetIP -IPAddress 192.168.4.7 | Update-AzureVM<u>http://msdn.microsoft.com/en-us/library/azure/dn630228.aspx</u> QUESTION 24Drag and Drop QuestionYou administer two virtual machines (VMs) that are deployed to a cloud service. The VMs are part of a virtual network. The cloud service monitor and virtual network configuration are configured as shown in the exhibits. (Click the Exhibits button.) ^{fabovec}



This page was exported from - <u>New Braindump2go Exam Dumps</u> Export date: Wed Apr 30 6:06:41 2025 / +0000 GMT

	NFIGURE CERTIFIC	AIES	
servers			
TER NAME	IP ADDRESS		
	antinity.		
t-to-site conn	recurry		
t-to-site conn			
Brai	nðtu	mp2	go.com
Brai		mp2	go.com
Brai	nðtu	cide (Address count)	go.com
Biral ual network as	m đi ti ddress spaces	CIDR (ADDRESS	
Biral ual network ac	IN CITU dolress spaces STARTING P	CIDR (ADDRESS COUNT)	USABLE ADDRESS RANGE
Diral ual network as ADDRESS SPACE 172.16.0.0/23	IN CITU dolress spaces STARTING P	CIDR (ADDRESS COUNT)	USABLE ADDRESS RANGE
ADDRESS SPACE 172.16.0.023 SUBNETS	Contractions of the spaces of the space of t	CIDR (ADDRESS COUNT) /23 (507)	USARLE ADDRESS RANGE 172.16.0.4 - 172.16.1.254

You need to create an internal load balancer named fabLoadBalancer that has a static IP address of 172.16.0.100.Which value should you use in each parameter of the Power Shell command? To answer, drag the appropriate value to the correct location in the Power Shell command. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content. Values




QUESTION 25Your network environment includes remote employees. You need to create a secure connection for the remote employees who require access to your Azure virtual network. What should you do? A. Deploy Windows Server 2012 RRAS.B. Configure a point-to-site VPN.C. Configure an ExpressRoute.D. Configure a site-to-site VPN. Answer: BExplanation:New Point-To-Site ConnectivityWith today's release we've added an awesome new feature that allows you to setup VPN connections between individual computers and a Windows Azure virtual network without the need for a VPN device. We call this feature Point-to-Site Virtual Private Networking. This feature greatly simplifies setting up secure connections between Windows Azure and client machines, whether from your office environment or from remote locations.It is especially useful for developers who want to connect to a Windows Azure Virtual Network (and to the individual virtual machines within it) from either behind their corporate firewall or a remote location. Because it is point-to-site they do not need their IT staff to perform any activities to enable it, and no

VPN hardware needs to be installed or configured. Instead you can just use the built-in Windows VPN client to tunnel to your Virtual Network in Windows Azure.

http://azure.microsoft.com/blog/2013/04/26/virtual-network-adds-new-capabilities-for-cross-premises-connectivity/ QUESTION 26 Drag and Drop QuestionYour development team has created a new solution that is deployed in a virtual network named fabDevVNet.Your testing team wants to begin testing the solution in a second Azure subscription.You need to create a virtual network named fabTestVNet that is identical to fabDevVNet. You want to achieve this goal by using the least amount of administrative effort.Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

In the Management Portal, rename the virtual network to fabTestVNet in the testing subscription.	
In the development subscription, import the network configuration.	
In the testing subscription, import the network configuration.	
	p2go.com
Create a virtual network by using the Management Portal in the testing subscription.	
In the network configuration file, set the name attribute of the VirtualNetworkSite to fabTestVNet.	
In the testing subscription, export the network configuration.	



QUESTION 27Drag and Drop QuestionYou have a solution deployed into a virtual network in Azure named fabVNet. The fabVNet virtual network has three subnets named Apps, Web, and DB that are configured as shown in the exhibit. (Click the Exhibits button.) virtual network address spaces

100.00/23 100.00 /23 (507) 100.04 - 100.1.254 Braindump2go_com
WED 10.0.054 72.9 (5) 10.0.058 - 10.00.70
D6 10.0.0.72 /29 (3) 10.0.0.76 - 10.0.0.78

This page was exported from - <u>New Braindump2go Exam Dumps</u> Export date: Wed Apr 30 6:06:45 2025 / +0000 GMT

abvnet				
DASHBOARD (CONFIGURE CERTIFICATE	15		
irtual network				
(-> fabVNet				
Diani		00000	00100	
	indum	1p2go	.com	
	indum	p2go	SUBNET NAME	م
esources NAME	ROLE	IP ADDRESS	SUBNET NAME	p
esources NAME fabApps1	ROLE Virtual Machine	IP ADDRESS	SUBNET NAME	Q
NAME	ROLE	IP ADDRESS	SUBNET NAME	٩

You want to deploy two new VMs to the DB subnet. You need to modify the virtual network to expand the size of the DB subnet to allow more IP addresses. Which three steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action	Answer Area
Empty and delete the Web Subnet.	
Empty and reconfigure the DB subnet to be larger.	
Empty and delete the Virtual Network.	
Empty a	mp2go.com
Recreate the Virtual Network as now required.	mp_goioo
Create the Web subnet to be larger.	
Empty and delete the DB Subnet.	

Answer:	Action	Answer Area
	Empty and delete the Web Subnet.	Empty and delete the DB Subnet.
	Empty and reconfigure the DB subnet to be larger.	
	Empty and delete the Virtual Network.	Create the DB subnet to be larger.
	Empty : jonfigure the web subnet to be larger.	p2go.com
	Recreate the Virtual Network as now required.	Recreate the Virtual Network as now required.
	Create the Web subnet to be larger.	
	Empty and delete the DB Subnet.	
	Create the DB subnet to be larger.	
		,

QUESTION 28You manage a cloud service that has a web role named fabWeb. You create a virtual network named fabVNet that has two subnets defined as Web and Apps.You need to be able to deploy fabWeb into the Web subnet.What should you do? A. Modify the service definition (csdef) for the cloud service.B. Run the Set-AzureSubnet PowerShell cmdlet.C. Run the Set-AzureVNetConfig PowerShell cmdlet.D. Modify the network configuration file.E. Modify the service configuration (cscfg) for the fabWeb web role. Answer: AExplanation: Azure Service Definition Schema (.csdef File) The service definition file defines the service model for an application. The file contains the definitions for the roles that are available to a cloud service, specifies the service endpoints, and establishes configuration settings for the service. QUESTION 29Drag and Drop QuestionYou manage two solutions in separate Azure subscriptions.You need to ensure that the two solutions can communicate on a private network.Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

This page was exported from - <u>New Braindump2go Exam Dumps</u> Export date: Wed Apr 30 6:06:47 2025 / +0000 GMT

Action	Answer Area
Check ExpressRoute on the virtual network configuration page.	
Update the connection certificate.	
Create the static routing gateways.	
Connet Vivi gateway Braindum Add local networks to the Vivets.	p2go.com
Run Set-AzureVNetIP PowerShell cmdlet.	
Create the dynamic routing gateways.	
Edit the ACL on the virtual network gateway to accept	

Action	Answer Area
Check ExpressRoute on the virtual network configuration page.	Add local networks to the VNets.
Update the connection certificate.	
Create the static routing gateways.	Create the dynamic routing gateways.
Connet VPN gateway Add local networks to the VNets.	
Run Set-AzureVNetIP PowerShell cmdlet.	
Create the dynamic routing gateways.	
Edit the ACL on the virtual network gateway to accept connections.	
	Check ExpressRoute on the virtual network configuration page. Update the connection certificate. Create the static routing gateways. Connection vertificate. Create the static routing gateways. Run Set-AzureVNedP PowerShell cmdlet. Create the dynamic routing gateways. Edit the ACL on the virtual network gateway to accept

QUESTION 30Your company has recently signed up for Azure. You plan to register a Data Protection Manager (DPM) server with the Azure Backup service. You need to recommend a method for registering the DPM server with the Azure Backup vault. What are two possible ways to achieve this goal? Each correct answer presents a complete solution. A. Import a self-signed certificate created using the makecert tool.B. Import a self-signed certificate created using the createcert tool.C. Import an X.509 v3 certificate with valid clientauthentication EKU.D. Import an X.509 v3 certificate with valid serverauthentication EKU. Answer: ACExplanation:A: You can create a self-signed certificate using the makecert tool, or use any valid SSL certificate issued by a Certification Authority (CA) trusted by Microsoft, whose root certificates are distributed via the Microsoft Root Certificate Program. C: The certificate must have a valid ClientAuthentication EKU.http://technet.microsoft.com/en-us/library/dn296608.aspx 100% Full Money Back Guarantee Promised By Braindump2go to All 70-533 Exam Candiates: Braindump2go is confident that our NEW UPDATED 70-533 Exam Questions and Answers are changed with Microsoft Official Exam Center, If you cannot PASS 70-533 Exam, nevermind, we will return your full money back! Visit Braindump2go exam dumps collection website now and download 70-533 Exam Dumps Instantly Today!

Compared Before	Buying Microsoft '	70-533 PDF & VCE!
-----------------	--------------------	-------------------

Pass4sure	Braindump2go	TestKing
	100% Pass OR Money Back	
89 Q&As – Practice	112 Q&As – Real Questions	50 Q&As - Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Discount

http://www.braindump2go.com/70-533.html