

[2016 Mar.Latest

2016 March NEW 70-515 Exam Questions RELEASED Today! Exam Code: 70-515 Exam Name: TS: Web Applications Development with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Web Applications 2016 NEW 70-515 Study Guides: 1. Developing web forms pages 2. Developing and using web forms controls 3. Implementing client-side scripting and AJAX 4. Configuring and extending a web application 5. Displaying and manipulating data 6. Developing a web application by using ASP.NET MVC 2

QUESTION 191 You have a C# code snippet with 2 classes, one composed by elements of the other. Something like `public class Student { public string Name { get; set; } } public class Supervisor { public string name { get; set; } public List<Student> { get; set; } }` And a markup code snippet, with 2 repeaters imbricated + a `ObjectDataSource` retrieving a list of Supervisors, the top level repeater "rptSupervisors" is bound using `ObjectDataSourceID` to the `ObjectDataSource`, and the inside one "rptStudents" is not bound yet. We understand that we need a list of supervisors and sublists of their relative students. A. bind rptStudents with the list of current item in SupervisorsList using the `ItemDataBound` event of the rptStudents repeater B. bind rptStudents with the list of current item in SupervisorsList using the `ItemCommand` event of the rptSupervisor repeater C. databinding directly the rptStudents in the page load or something dummy like that (don't remember exactly) D. another dummy solution involving a "supervisors have all the same students" situation Answer: B

QUESTION 192 ASP.net MVC dotn display a column Using LINQ to SQL class `[MetadataType(typeof(ProductMetadata))] public partial class Product { ... } public class ProductMetadata { ... }` A. Add the following attribute to Product class `[DisplayColumn("DiscontinueDate", "DiscontinueDate", false)]` B. Add the following attribute to ProductMetadata class `[DisplayColumn("DiscontinueDate", "DiscontinueDate", false)]` C. Add the following code segment `Product class public bool ScaffoldDisable() { return false; }` D. `ProductMetaData class [ScaffoldColumn(false)] public object DiscontinueDate;` Answer: D

QUESTION 193 Migration .net 3.5 to 4.0 You have migrated a web application from .net 3.5 to 4.0. the application hat to render same as in .net 3.5. A. `<assemblies> someoptions </assemblies>` B. `<pages controlRenderingCompatibilityVersion="3.5"/>` C. `<compilation targetframework = "3.5" />` D. `<xhtmlConformance mode="Legacy" />` Answer: B

QUESTION 194 A library called `contosobuisness.dll` has been created and u need to accept it in a page..all options had the `<%assembly` tag but the att differed A. `<%assembly TargetName="contosobuisness" %>` B. `<%assembly ID="contosobuisness" %>` C. `<% @ Assembly Name="contosobuisness" %>` D. `<%assembly virtualpath="contosobuisness" %>` Answer: C

QUESTION 195 A text box should enter valid date options all were compare validators but the operator differed (equal and datatype).. `controltovalidate` in two options and `controltocompare` in the remainin.. A. `<asp:CompareValidator ID="CompareValidator1" runat="server" Operator="DataTypeCheck" Type="Date"></asp:CompareValidator>` B. `<asp:CompareValidator ID="CompareValidator1" runat="server" Operator="Equal" Type="Date"></asp:CompareValidator>` C. `<asp:CompareValidator ID="CompareValidator1" runat="server" Operator="LessThan" Type="Date"></asp:CompareValidator>` D. `<asp:CompareValidator ID="CompareValidator1" runat="server" Operator="DataTypeCheck" Type="Double"></asp:CompareValidator>` Answer: A

QUESTION 196 You have a master page `custom.master` ... u create a nested.master page using it ... and then u have content page that uses the nested.master as its master page ... to get a string prop from `custom.master` into a label in content page the code u wud use... A. `master.master` B. `parent.master` C. `this.master` D. unknown Answer: B

QUESTION 197 You have a `login.ascx` control and to display it in a view which method u would use.. A. `http.display` B. `http.partial` C. `http.load` D. `http.get` Answer: B

QUESTION 198 You are developing a Asp.net web application tht includes a panel control that has ID `contentsection`. You need to add a `textBox` control to the panel control. A. `this.RequireControlState(this.LoadControl(typeof(TextBox), null));` B. `this.ContentSection.control.add(this.FindControl(ContentSection.ID + "asp:TextBox"));` C. `this.ContentSection.control.add(this.LoadControl(typeof(TextBox), null));` D. `this.LoadComplete("asp:TextBox").IntiantiateIn(Content Section)` Answer: C

QUESTION 199 You are developing an ASP.NET Web page. The page contains the following markup. `<asp:GridView ID="gvModels" runat="server" onrowdatabound="gvModels_RowDataBound" AutoGenerateColumns="false"><Columns><asp:BoundField DataField="Name" HeaderText="Model" /><asp:TemplateField><ItemTemplate><asp:Image ID="img" runat="server" /></ItemTemplate></asp:TemplateField></Columns></asp:GridView>` The pages code-behind file includes the following code segment. (Line numbers are included for reference only.)
01 Private Sub gvModels_RowDataBound(ByVal sender As Object, _
02 ByVal e As GridViewRowEventArgs) _
03 Handles gvModels.RowDataBound
04 If (e.Row.RowType = DataControlRowType.DataRow) Then
05 Dim cm As CarModel =
06 DirectCast(e.Row.DataItem, CarModel)
08 img.ImageUrl =
09 String.Format("images/{0}.jpg", cm.ID)
11 End If
12 End Sub
You need to get a reference to the Image named `img`. Which code segment should you add at line 07? A.

Dim img As Image =DirectCast(Page.FindControl("img"), Image)B. Dim img As Image =DirectCast(e.Row.FindControl("img"), Image)C. Dim img As Image =DirectCast(gvModels.FindControl("img"), Image)D. Dim img As Image = DirectCast(Page.Form.FindControl("img"), Image) Answer: B

QUESTION 200 You are developing an ASP.NET web application. The application consumes a WCF service that implements a contract named IcontosoService. The service is located on the local network and is exposed using the following endpoint <endpoint name="udpDiscover" kind="udpDiscoveryEndpoint"/> You need to consume the service by using the WS-Discovery protocol. Which client endpoint configuration should you use? A. <endpoint name="contosoEndpoint" address="oneway-basic" binding="basicHttpBinding" contract="IContosoService"/> B. <endpoint name="contosoEndpoint" kind="dynamicEndpoint" binding="wsHttpBinding" contract="IContosoService"/> C. <endpoint name="contosoEndpoint" address="twoway-basic" binding="basicHttpBinding" contract="IContosoService"/> D. <endpoint name="contosoEndpoing" address="dynamicEndpoint" binding="wsHttpBinding" contract="*/> Answer: B

Explanation: <http://msdn.microsoft.com/en-us/library/ee354381.aspx> kind="dynamicEndpoint" Defines a standard endpoint configured to use WCF Discovery within a WCF client application. When using this standard endpoint, an address is not required because during the first call, the client will query for a service endpoint matching the specified contract and automatically connect to it for you. By default the discovery query is sent over multicast UDP but you can specify the discovery binding and search criteria to use when you need to. <http://msdn.microsoft.com/en-us/library/ms731762.aspx> contract="IContosoService" Required string attribute. A string that indicates which contract this endpoint is exposing. The assembly must implement the contract type.

QUESTION 201 You are developing an ASP.NET web page. You need to ensure that content flows from right to left. What should you do? A. In the @Page directive, add an attribute named dir with a value of "RightToLeft" B. In the @Page directive, add an attribute named dir with a value of "RTL" C. In the <html> tag, add an attribute named dir with a value of "RTL" D. In the <html> tag, add an attribute named dir with a value of "RightToLeft" Answer: C

Explanation: <http://msdn.microsoft.com/en-us/library/twe16yc2%28v=vs.100%29.aspx>

QUESTION 202 You are implementing an ASP.NET web page that contains a ScriptManager control. You need to ensure that only the required Microsoft AJAX Framework Javascript files are loaded. A. Set the AjaxFrameworkMode property of the ScriptManager to Enabled, and reference each javascript file by adding a ScriptReference for each required file. B. Set the AjaxFrameworkMode property of the ScriptManager to Explicit, and reference each JavaScript file by adding a ScriptReference for each required file. C. Set the AjaxFrameworkMode property of the ScriptManager to Disabled, and reference each JavaScript file by adding a ScriptReference for each required file. D. Set the AjaxFrameworkMode property of the ScriptManager to Enabled, and manually add a reference to each required JavaScript file to the HTML page head element. Answer: B

Explanation: <http://msdn.microsoft.com/en-us/library/system.web.ui.scriptmanager.ajaxframeworkmode.aspx>

QUESTION 203 You are developing an ASP.NET MVC 2 Web application that displays product details. The global.asax.cs file contains the following code segment

```
01 public static void registerRoutes(RouteCollection routes)
02 {
03     routes.IgnoreRoute("{resource}.axd/{*pathInfo}");
04     routes.MapRoute("Default", "{controller}/{action}/{id}", new { controller = "Home", action = "index", id =
    UriParameter.Optional });
05 }
```

The URL "/products/PRODUCTNAME", where PRODUCTNAME is the name of the product, must give details for the product that is stored in a Microsoft SQL Server database. You need to ensure that the routes are registered correctly. What should you do? A. Replace line 04 with the following code segment

```
routes.MapRoute("products/{productName}", "ProductDetails", new { controller = "Products", action = "index", productName = UriParameter.Optional });
```

B. Add the following code segment between lines 04 and 05

```
routes.MapRoute("ProductDetails", "products/{productName}", new { controller = "Products", actions="index", productName = UriParameter.Optional });
```

C. Replace lines 03 and 04 with the following code segment

```
routes.MapRoute("products/{productName}", "ProductDetails", new { controller = "Products", action="Index", productName=UriParameter.Optional });
```

D. Add the following code segment between lines 03 and 04.

```
routes.MapRoute("ProductDetails", "products/{productName}", new { controller="products", action="Index", productName = UriParameter.Optional });
```

Answer: D

Explanation: ASP.NET MVC checks incoming URL requests against routes in the order they were registered, so you need to add them in the order of most to least specific. <http://richarddingwall.name/2008/08/09/three-common-aspnet-mvc-url-routing-issues/>

QUESTION 204 You are implementing an ASP.NET Web page. You need to add a text box that allows only values between 1 and 10, inclusive, to be submitted. Which two code segments should you use? (Each correct answer presents part of the solution. Choose two.) A. <script type="text/javascript"> function validate_value(obj, args){return (args.Value >= 1 && args.Value <= 10);}</script> B. <script type="text/javascript"> function validate_value(obj, args){args.IsValid = (args.Value >= 1 && args.Value <= 10);}</script> C. <asp:TextBox ID="txt1" runat="server" /><asp:CustomValidator ID="val1" runat="server" ControlToValidate="txt1" ClientValidationFunction="validate_value" ErrorMessage="Value invalid" /> D. <asp:TextBox ID="txt1" runat="server"

onChange="validate_value(this, args)" /> Answer: BC 2016 NEW 70-515 Exam Questions & 70-515 Exam Dumps 299q Free

Shared By Braindump2go:<http://www.braindump2go.com/70-515.html>

Compared Before Buying Microsoft **70-515** PDF & VCE!

Pass4sure	Braindump2go	Test Ki
	100% Pass OR Money Back	
Not In Stock	299 Q&As – Real Questions	50 Q&As - Practic
/	\$99.99	\$124.99
/	Coupon Code: BDNT2014	No Discount