

[Braindump2go Free Cisco 350-018 Dumps (1-11)]

CISCO NEWS: 350-018 Exam Questions has been Updated Today! Get Latest 350-018 VCE and 350-018 PDF Instantly!

Welcome to Download the Newest Braindump2go 350-018 VCE&350-018 PDF Dumps:

<http://www.braindump2go.com/350-018.html> (717 Q&As) Braindump2go New Released 350-018 Cisco Exam Dumps Free Download Today! All 717q 350-018 Exam Questions are the new updated from Cisco Official Exam Center. Braindump2go Offers 350-018 PDF Dumps and 350-018 VCE Dumps for free Download Now! 100% pass 350-018 Certification Exam! Exam Code: 350-018 Exam Name: TS: CCIE Security Written Exam, v4.0 Certification Provider: Cisco [350-018 Questions, 350-018 Dump, 350-018 Latest Dumps, 350-018 PDF, 350-018 Study Guide, 350-018 Actual Test, 350-018 Lab Exam, CCIE 350-018 Dumps, 350-018 Book, 350-018 Braindump, 350-018 Preparation Labs, 350-018 Practice Test, 350-018 Practice Exam](#)

CCIE Security Written




Questions and Answers : 717
Q&As
Updated: Nov 19, 2015
\$429.99 **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

QUESTION 1 Refer to the exhibit. Which three descriptions of the configuration are true? (Choose three)

```
crypto ipsec transform-set Hub-Spoke esp-a
!
crypto ipsec profile Hub-Spoke
set transform-set Hub-Spoke
!
interface Tunnel0
ip address 192.168.10.1 255.255.255.0
no ip redirects
no ip next-hop-self eigrp 101
ip nhrp map multicast dynamic
ip nhrp network-id 10
no ip split-horizon eigrp 101
tunnel source GigabitEthernet0/1
tunnel mode gre multipoint
tunnel key 1000
tunnel protection ipsec profile Hub-Spoke
```

A. The tunnel encapsulates multicast traffic. B. The tunnel provides data confidentiality. C. This tunnel is a point-to-point GRE tunnel. D. The configuration is on the NHS. E. The tunnel is not providing peer authentication. F. The tunnel IP address represents the NBMA address. G. The configuration is on the NHC. Answer: ABD
QUESTION 2 Which statement about the fragmentation of IPsec packets in routers is true? A. By default, the router knows the IPsec overhead to add to the packet, performs a lookup if the packet will exceed egress physical interface IP MTU after encryption, then fragments the packet before encrypting and separately encrypts the resulting IP fragments. B. By default if the packet size exceeds MTU of the egress physical interface, it will be dropped. C. By default if the packet size exceeds MTU of ingress physical interface, it will be fragmented and sent without encryption. D. By default, the IP packets that need encryption are first encrypted with ESP, if the resulting encrypted packet exceeds the IP MTU on the egress physical interface, the the encrypted packet is fragmented before being sent. Answer: A
QUESTION 3 Which two statements about ISO 27001 are true? (Choose two) A. It was formerly known as BS7799-2. B. It is an Information Security Management Systems specification. C. It is an ISO 17799 code of practice. D. It is a code of practice for Informational Social Management. E. It is closely aligned to ISO 22000 standards. Answer: AB
QUESTION 4 Depending on

configuration, which two behaviors can the ASA classifier exhibit when it receives unicast traffic on an interface that is shared by multiple contexts? (Choose two) A. It is classified using the destination address of the packet using the routing table. B. It is classified using the destination address of the packet using the NAT table. C. It is classified by copying and sending the packet to all the contexts. D. It is classified using the destination MAC address of the packet. E. It is classified using the destination address of the packet using the connection table. Answer: BD QUESTION 5 Refer to the exhibit. Which configuration prevents R2 from becoming a PIM neighbor with R1?




A. access-list 10 deny 192.168.1.2 0.0.0.0! Interface gi0/0 ip pim neighbor-filter 10 B. access-list 10 deny 192.168.1.2 0.0.0.0! Interface gi0/0 ip pim neighbor-filter 1 C. access-list 10 deny 192.168.1.2 0.0.0.0! Interface gi0/0 ip igmp access-group 10 D. access-list 10 permit 192.168.1.2 0.0.0.0! Interface gi0/0 ip pim neighbor-filter 10 Answer: A QUESTION 6 Which statement is true about the PKI deployment using Cisco IOS devices? A. During the enrollment, CA or RA signs the client certificate request with its public key. B. RA is capable to publish the CRLs. C. Certificate Revocation is not supported by SCEP protocol. D. RA is used for accepting the enrollment requests. E. Peers use private keys in their certificates to negotiate IPSec SAs to establish the secure channel. Answer: D QUESTION 7 Refer to the exhibit. Which two statements correctly describe the debug output? (Choose two)

```
NHRP: Attempting to send packet via DEST 180.10.10.1
NHRP: NHRP successfully resolved 180.10.10.1 to NBMA 20.10.10.3
NHRP: Encapsulation succeeded. Tunnel IP addr 20.10.10.3
NHRP: Send Registration Request via Tunnel0 vrf 0, packet size: 92
src: 180.10.10.2, dst: 180.10.10.1
(F) afn: IPv4(1), type: IP(800), hop: 255, ver: 1
sh:tl: A(NSAP), sstl: 0(NSAP)
pl: sr: 12, pr: 0, b: 5
(M) flags: "unique nat", reqid: 66461
src NBMA: 91.91.91.1
src protocol: 180.10.10.2, dst protocol: 180.10.10.1
(C-1) code: no error(0)
prefix: 32, mtu: 17912, hd_time: 7200
addr_len: 0(NSAP), subaddr_len: 0(NSAP), proto_len: 0, pref: 0
NHRP: 120 bytes out Tunnel0
```

A. The message is observed on the NHRP. The NHRP hold time is 3 hours C. The local non-routable address is 20.10.10.3 D. The message is observed on the NHCE. The remote routable address 91.91.91.1 F. The remote VPN address is 180.10.10.1 Answer: DF QUESTION 8 Which statement about the Cisco Secure ACS Solution Engine TACACS+ AV pair is true? A. AV pairs are of two type: string and integer. B. AV pairs must be enabled only on Cisco Secure ACS for successful implementation. C. AV pairs are only string values. D. The Cisco Secure ACS Solution Engine does not support accounting AV pairs. Answer: C QUESTION 9 Of which IPS application is Event Store a component? A. MainApp B. InterfaceApp C. AuthenticationApp D. NotificationApp E. SensorApp Answer: A QUESTION 10 When attempting to use basic HTTP authentication a client, which type of HTTP message should the server use? A. HTTP 302 with an Authenticate header B. HTTP 200 with a WWW-Authenticate header C. HTTP 401 with a WWW-Authenticate header D. HTTP 407 Answer: C QUESTION 11 In traceroute, which ICMP message indicates that the packet is dropped by a router in the path? A. Type 3, Code 1 B. Type 11, Code 0 C. Type 5, Code 1 D. Type 3, Code 3 E. Type 11, Code 1 Answer: B All the 717 Questions and Answers in Braindump2go 350-018 Exam Dumps are the latest 350-018 Real Exam Questions not just 350-018 Practice Tests Questions! Braindump2go Cisco 350-018 Exam Dumps PDF & VCE Guarantees you 100% Pass 350-018 Exam! Braindump2go Can Provide the Latest 350-018 Dumps Questions from Cisco Official Exam Center for You!

CCIE Security Written Exam, v4.0: 350-018



Questions and Answers : 717
Q&As
Updated: Nov 19, 2015
~~\$129.99~~ **\$99.99**
[PDF DEMO](#)
[CHECK OUT](#)

Product Description Exam Number/Code: 350-018

Exam Number/Code: [350-018](#)

"CCIE Security Written Exam, v4.0", also known as 350-018 exam, is a Cisco Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 717 Q&As to your 350-018 Exam preparation. In the 350-018 exam resources, you will cover every field and category in Cisco CCIE Security helping to ready you for your successful Cisco Certification.

Free Demo Download

Braindump2go offers free demo for 350-018 exam (CCIE Security Written Exam, v4.0). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ **Printable PDF** ☒ **Premium VCE + VCE Simulator**

FREE DOWNLOAD: NEW UPDATED 350-018 PDF Dumps & 350-018 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/350-018.html> (717 Q&A)