


## Braindump2go New Updated Official Microsoft 70-336 Practice Tests Guarantee 100% Real Exam Questions and Answers!(81-90)

**MICROSOFT NEWS: 70-336 Exam Questions has been Updated Today! Get Latest 70-336 VCE and 70-336 PDF Instantly!**

**Welcome to Download the Newest Braindump2go 70-336 VCE&70-336 PDF Dumps:**

<http://www.braindump2go.com/70-336.html> (110 Q&As) We never believe in second chances and Braindump2go brings you the best 70-336 Exam Preparation Materials which will make you pass in the first attempt. We guarantee all questions and answers in our 70-336 Dumps are the latest released, we check all exam dumps questions from time to time according to Microsoft Official Center, in order to guarantee you can read the latest questions! Exam Code: 70-336 Exam Name: Core Solutions of Microsoft Lync Server 2013 Certification Provider: Microsoft Corresponding Certifications: MCSE, MCSE: Communication [70-336 Dump](#), [70-336 PDF](#), [70-336 VCE](#), [70-336 Study Guide](#), [70-336 Book](#), [70-336 Exam Questions](#), [70-336 eBook](#), [70-336 Exam Guide](#), [70-336 Exam Prep](#), [70-336 Braindump](#), [70-336 Practice Test](#), [70-336 Practice Exam](#)

### Microsoft Core Solutions of Microsoft Lync Server 2013: 70-336



Questions and Answers : 110 Q&As  
Updated: Dec 12, 2015  
~~\$429.99~~ **\$99.99**  
[PDF DEMO](#)  
[CHECK OUT](#)

**Product Description Exam Number/Code: 70-336**

**Exam Number/Code: 70-336**

"Microsoft Core Solutions of Microsoft Lync Server 2013", also known as 70-336 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 110 Q&As to your 70-336 Exam preparation. In the 70-336 exam resources, you will cover every field and category in Microsoft MCITP helping to ready you for your successful Microsoft Certification.

**Free Demo Download**

Braindump2go offers free demo for 70-336 exam (Microsoft Core Solutions of Microsoft Lync Server 2013). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ Printable PDF ☒ Premium VCE + VCE Simulator

QUESTION 81 You are evaluating the migration of the response groups. You need to identify which statement correctly describes the migration of the response groups to Lync Server 2013. Which statement should you identify? A. An administrator must modify the topology after the response groups are migrated to Lync Server 2013. B. An administrator must re-enable all users for Enterprise Voice after the response groups are migrated to Lync Server 2013. C. All of the response groups must be recreated after the users are moved to Lync Server 2013. D. All of the response groups must be migrated in a single migration operation. Answer: D

QUESTION 82 You install System Center 2012 Operations Manager on a server named SCOM01. You import the Lync 2013 Server Management Pack to SCOM01. You need to configure monitoring to meet the technical requirements. Which three actions should you perform before you configure the synthetic transactions? (Each correct answer presents part of the solution. Choose three.) A. Install the Lync Server 2013 core components on SCOM01. B. Install the SCOM agent on Monitor01. C. Run watchernode.msi on Monitor01. D. Install the Lync Server 2013 core components on Monitor01. E. Run watchernode.msi on SCOM01. Answer: BCDE Explanation: \* From Scenario: A client computer named Monitor01 must be used to monitor client connectivity by using synthetic transactions. \* You must run Watchernode.msi on a computer where both the Operations Manager (SCOM) agent files and the Lync Server 2013 core components are installed. Note: \* Watcher nodes are computers that periodically run Lync Server synthetic transactions. Synthetic transactions are Windows PowerShell cmdlets that verify that key end user scenarios--such as the ability to sign in to the system, or the ability to exchange instant messages--are working as expected.

Reference: Installing and Configuring Watcher Nodes QUESTION 83 You are evaluating the migration of the response groups. You need to identify which statement correctly describes the migration of the response groups to Lync Server 2013. Which statement should you identify? A. All of the response groups must be recreated after the users are moved to Lync Server 2013. B. All of the response groups must be migrated in a single migration operation. C. An administrator must modify the topology after the response groups are migrated to Lync Server 2013. D. An administrator must re-enable all users for Enterprise Voice after the response groups are migrated to Lync Server 2013. Answer: B QUESTION 84 Drag and Drop Questions You need to recommend which actions must be performed to add the planned Lync Server 2013 servers. Which three actions should you recommend in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

| Answer Area  |
|--|
| From Lync Server 2013 Topology Builder, save a copy of the topology. |
| From Lync Server 2010 Topology Builder, publish the topology.        |
| From Lync Server 2013 Topology Builder, publish the topology.        |
| From Lync Server 2013 Topology Builder, configure the topology.      |
| From Lync Server 2010 Topology Builder, save a copy of the topology. |
| From Lync Server 2010 Topology Builder, configure the topology.      |

Answer:

| Answer Area  |  |
|--|--|
| From Lync Server 2013 Topology Builder, save a copy of the topology. | From Lync Server 2010 Topology Builder, save a copy of the topology. |
| From Lync Server 2010 Topology Builder, publish the topology.        | From Lync Server 2013 Topology Builder, configure the topology.      |
| From Lync Server 2013 Topology Builder, publish the topology.        |  |
| From Lync Server 2013 Topology Builder, configure the topology.      |  |
| From Lync Server 2010 Topology Builder, save a copy of the topology. |  |
| From Lync Server 2010 Topology Builder, configure the topology.      |  |

QUESTION 85Hotspot QuestionsAfter the migration, users report that when they connect remotely, they fail to sign in by using the Lync 2013 Windows Store app. You verify the external DNS records for Lync and locate the records shown in the following table.

| Record type            |
|------------------------|
| Service location (SRV) |
| Service location (SRV) |
| Host (A)               |

You need to ensure that the users can sign in by using the Lync 2013 Windows Store app. What DNS record should you create? (To answer, select the appropriate configuration in the answer area.)

Record type:

Host (A)

Service location (SRV)

Text (TXT)

Lyncdiscover.litware.com

Lyncdiscoverinternal.litware.com

\_sipinternaltls.litware.com

\_sipinternaltls.\_tcp.litware.com

sipinternaltls.\_tcp.litware.com

Answer:

Record type:

Host (A)

Service location (SRV)

Text (TXT)

Lyncdiscover.litware.com

Lyncdiscoverinternal.litware.com

\_sipinternaltls.litware.com

\_sipinternaltls.\_tcp.litware.com

sipinternaltls.\_tcp.litware.com

**Case Study: 5 - Contoso Ltd. Case B (QUESTION 86 - QUESTION 97)**

**Overview** General Overview Contoso, Ltd. is an international manufacturing company that has 30,000 users. Contoso has the following departments: sales, research, marketing, human resources, executive, manufacturing, and legal. The sales department has 2,000 users. All of the users in the sales department are located in the United States. The research department has 3,000 users. All of the users in the research department are located in Europe.

**Physical Locations** Contoso has two main offices. The offices are located in Houston and Frankfurt. Each office has 15,000 users. The offices connect to each other by using an MPLS network. Each office connects directly to the Internet.

**Existing Environment** Lync Server Infrastructure Contoso has a Lync Server 2010 infrastructure that only uses internal instant messaging (IM) and presence. The infrastructure contains a single Enterprise Edition Front End pool that services all of the users. Contoso uses a SIP domain of contoso.com for all of the users. Client computers have either Microsoft Office Communicator 2007 R2 installed or Microsoft Lync 2010 installed. Before deploying Lync Server 2013 and migrating the users to Lync Server 2013, you implement a small pilot project to test the functionality of Lync Server 2013.

**Problem Statements** The users in the pilot report that occasionally, they cannot sign in to Lync 2013.

**Requirements** Business Goals Contoso plans to upgrade to Lync Server 2013 during the next six months. Contoso must deploy all of the Lync Server conferencing and edge services. Contoso must also configure federation with its parent company, which is named Proseware, Inc. Proseware is located in Europe and has an Office Communication Server 2007 R2 infrastructure. Contoso must minimize hardware and software purchasing costs, while guaranteeing performance levels for all Lync Server 2013 workloads.

**Planned Changes** Contoso plans to implement the following workloads in the Lync Server 2013 deployment:- Federation- Dial-in conferencing- External user access- Audio, video, and web conferencing- The ability to host Lync meetings that have external participants

The FQDNs of the edge services will be configured as shown in the following table.

| Service               | United States r  |
|-----------------------|------------------|
| Access Edge           | us-ae.contoso.co |
| Web Conferencing Edge | us-wc.contoso.co |
| A/V Edge              | us-av.contoso.co |


**Technical Requirements** Contoso identifies the following technical requirements for the planned deployment:- Only federation to Proseware must be allowed.- All of the edge services must use default ports.- WAN traffic and Internet traffic must be minimized. - All of the user contacts stored in Lync Server 2013 must be backed up. - The sales department must have a dedicated dial-in conferencing number. All other users in both the United States and Europe must use a pool of regional dial-in conferencing numbers. - If a single component fails, all Lync services must remain available without the need for manual intervention. Performance degradation is acceptable during a component failure state.- The conversations of all the sales department users must be archived for 30 days. The conversations of all the research department users must be archived for 90 days. No other conversations must be archived.- After the migration to Lync Server 2013, all client computers will have three months to upgrade to Lync 2013. After three months, legacy clients must be blocked from accessing the Lync Server 2013 infrastructure.

**Security Requirements** Contoso identifies the following security requirements for the planned deployment:- All Lync Server conferences must use a unique URL. - Each Internet-facing service must have one or more dedicated public IP addresses. - Only the users in the human resources department must be prevented from connecting to Lync Server remotely.

**QUESTION 86** Drag and Drop Questions You need to identify the cause of the authentication issue for the pilot users. Which four actions should you perform in sequence? (To answer, move the appropriate four actions from the list of actions to the answer area and arrange them in the correct order.)

|   | Answer |
|---|--------|
| Run <b>Start-CsClsLogging</b> .                     |        |
| Run <b>Stop-CsClsLogging</b> .                      |        |
| Open the log file by running <b>Get-CsLogPath</b> . |        |
| Run <b>Set-CsClsRegion</b> .                        |        |
| Run <b>Update-CsClsLogging</b> .                    |        |
| Run <b>Search-CsClsLogging</b> .                    |        |

Answer:



QUESTION 87 You need to configure the Lync Server 2013 infrastructure to meet the security requirements for the human resources department. The solution must minimize administrative effort. What should you do? A. Create a new user-level external access policy. B. Modify the Access Edge Configuration settings. C. Create a new user-level client policy. D. Modify the global external access policy. Answer: A

QUESTION 88 Hotspot Questions You need to configure the required external DNS record to support federation. The solution must meet the business goals and the technical requirements. How should you configure the DNS record? (To answer, select the appropriate options for the DNS record in the answer area.)

A screenshot of the DNS record configuration interface. It shows fields for 'Record type', 'Service', 'Port number', and 'Host offering service'. The 'Record type' dropdown is set to 'Service location (SRV)'. The 'Service' dropdown is set to '\_sip.\_tls.contoso.com'. The 'Port number' field is set to '5061'. The 'Host offering service' dropdown is set to 'Eu-a6.contoso.com'. A large 'Braindump2go.com' watermark is overlaid on the image.

Answer:

A screenshot of the DNS record configuration interface, similar to the one above, but with the correct options highlighted in red boxes. The 'Record type' dropdown is set to 'Service location (SRV)'. The 'Service' dropdown is set to '\_sip.\_tls.contoso.com'. The 'Port number' field is set to '5061'. The 'Host offering service' dropdown is set to 'Eu-a6.contoso.com'. A large 'Braindump2go.com' watermark is overlaid on the image.

QUESTION 89 You need to recommend a backup solution to meet the technical requirements. Which tool should you include in the recommendation? A. Export-CsUserData B. Ocslogger C. Snooper D. Get-CsAdContact E. Dbimpexp Answer: A

Explanation: Export-CsUserData <http://technet.microsoft.com/en-us/library/jj204897.aspx> Export-CsUserData Detailed Description


The Export-CsUserData cmdlet provides a way for administrators to Export User Data and/or Conference Directory for a Lync Server Pool. That data, which can be saved in the User Data format used by either Lync Server 2013 or Microsoft Lync Server 2010 can then be imported by using the Import-CsUserData cmdlet. To return a list of all the role-based access control (RBAC) roles this cmdlet has been assigned to (including any custom RBAC roles you have created yourself), run the following command from the Windows PowerShell command-line interface prompt: Get-CsAdminRole | Where-Object {\$\_.Cmdlets patch "Export-CsUserData"}

Lync Server Control Panel: The functions carried out by the Export-CsUserData cmdlet are not available in the Lync Server Control Panel.

QUESTION 90 You need to ensure that the client computers that have Office Communicator 2007 R2 installed can use IM and presence and can join web conferences hosted on Lync Server 2013. The solution must minimize administrative effort. What should you do? A. Implement Communicator Web Access Server. B. Modify the client version policy to allow all versions of Office Communicator 2007 R2 to connect. C. Upgrade the computers to Lync 2010. D. Apply the latest hotfixes to Office

Communicator 2007 R2 Answer: C Braindump2go is one of the Leading 70-336 Exam Preparation Material Providers Around the World! We Offer 100% Money Back Guarantee on All Products! Feel Free In Downloading Our New Released 70-336 Real Exam Questions!

#### Microsoft Core Solutions of Microsoft Lync Server 2013: 70-336



**Product Description Exam Number/Code: 70-336**

**Exam Number/Code: 70-336**

"Microsoft Core Solutions of Microsoft Lync Server 2013", also known as 70-336 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 110 Q&As to your 70-336 Exam preparation. In the 70-336 exam resources, you will cover every field and category in Microsoft MCITP helping to ready you for your successful Microsoft Certification.

**Questions and Answers : 110 Q&As**

Updated: Dec 12, 2015

~~\$129.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

☒ **Printable PDF** ☒ **Premium VCE + VCE Simulator**

**FREE DOWNLOAD: NEW UPDATED 70-336 PDF Dumps & 70-336 VCE Dumps from Braindump2go:**  
<http://www.braindump2go.com/70-336.html> (110 Q&As)